

Silicon NPN Power Transistors

2SD1885

DESCRIPTION


- With TO-3PML package
- High breakdown voltage
- High reliability
- High speed

APPLICATIONS

- Color TV horizontal deflection output.
- Color display horizontal deflection output.

PINNING

| PIN | DESCRIPTION |
|-----|-------------|
| 1 | Base |
| 2 | Collector |
| 3 | Emitter |

Absolute maximum ratings($T_a=25^\circ\text{C}$)

| SYMBOL | PARAMETER | CONDITIONS | VALUE | UNIT |
|-----------|-----------------------------|------------------------|---------|------------------|
| V_{CBO} | Collector-base voltage | Open emitter | 1500 | V |
| V_{CEO} | Collector-emitter voltage | Open base | 800 | V |
| V_{EBO} | Emitter-base voltage | Open collector | 6 | V |
| I_C | Collector current | | 6 | A |
| I_{CM} | Collector current-peak | | 20 | A |
| P_C | Collector power dissipation | | 3.0 | W |
| | | $T_C=25^\circ\text{C}$ | 60 | |
| T_j | Junction temperature | | 150 | $^\circ\text{C}$ |
| T_{stg} | Storage temperature | | -55~150 | $^\circ\text{C}$ |

Silicon NPN Power Transistors

2SD1885

CHARACTERISTICS

T_j=25°C unless otherwise specified

| SYMBOL | PARAMETER | CONDITIONS | MIN | TYP. | MAX | UNIT |
|-----------------------|--------------------------------------|--|-----|------|-----|------|
| V _{CEsat} | Collector-emitter saturation voltage | I _C =5A; I _B =1 A | | | 5 | V |
| V _{BEsat} | Base-emitter saturation voltage | I _C =5A; I _B =1 A | | | 1.5 | V |
| V _{CEO(SUS)} | Collector-emitter sustaining voltage | I _C =100mA; I _B =0 | 800 | | | V |
| I _{EBO} | Emitter cut-off current | V _{EB} =4V; I _C =0 | | | 1 | mA |
| I _{CBO} | Collector cut-off current | V _{CB} =800V; I _E =0 | | | 10 | μA |
| I _{CES} | Collector cut-off current | V _{CE} =1500V; R _{BE} =0 | | | 1 | mA |
| h _{FE-1} | DC current gain | I _C =1 A ; V _{CE} =5V | 8 | | | |
| h _{FE-2} | DC current gain | I _C =5A ; V _{CE} =5V | 5 | | 10 | |
| t _f | Fall time | I _C =4A; R _L =50Ω; I _{B1} =0.8A I _{B2} =-1.6A V _{CC} =200V | | 0.1 | 0.3 | μs |

Silicon NPN Power Transistors

2SD1885

PACKAGE OUTLINE



Fig.2 Outline dimensions

Silicon NPN Power Transistors

2SD1885




Fig.3 Static Characteristic




Fig.4 DC current Gain




Fig.5 Collector-Emitter Saturation Voltage




Fig.6 Safe Operating Area