


CTLT8099-M322S
SURFACE MOUNT
NPN SILICON TRANSISTOR



www.centrasemi.com



DESCRIPTION:

The CENTRAL SEMICONDUCTOR CTLT8099-M322S is a silicon transistor manufactured by the epitaxial planar process, epoxy molded in a low profile, 2x2mm TLM™ surface mount package, designed for general purpose amplification and switching in energy efficient applications.

MARKING CODE: 89C

APPLICATIONS:

- Load switching
- Display drive
- Power management
- Gate drive

MAXIMUM RATINGS: ($T_A=25^\circ\text{C}$)

Collector-Base Voltage
Collector-Emitter Voltage
Emitter-Base Voltage
Continuous Collector Current
Power Dissipation
Operating and Storage Junction Temperature
Thermal Resistance

SYMBOL		UNITS
V_{CBO}	80	V
V_{CEO}	80	V
V_{EBO}	6.0	V
I_C	500	mA
P_D	1.45	W
T_J, T_{stg}	-65 to +150	$^\circ\text{C}$
θ_{JA}	86.2	$^\circ\text{C/W}$

ELECTRICAL CHARACTERISTICS: ($T_A=25^\circ\text{C}$ unless otherwise noted)


SYMBOL	TEST CONDITIONS	MIN	MAX	UNITS
I_{CBO}	$V_{CB}=80\text{V}$		0.1	μA
I_{EBO}	$V_{BE}=6.0\text{V}$		0.1	μA
BV_{CBO}	$I_C=100\mu\text{A}$	80		V
BV_{CEO}	$I_C=10\text{mA}$	80		V
BV_{EBO}	$I_E=10\mu\text{A}$	6.0		V
$V_{CE(SAT)}$	$I_C=100\text{mA}, I_B=5.0\text{mA}$		0.4	V
$V_{CE(SAT)}$	$I_C=100\text{mA}, I_B=10\text{mA}$		0.3	V
$V_{BE(ON)}$	$V_{CE}=5.0\text{V}, I_C=10\text{mA}$	0.6	0.8	V
h_{FE}	$V_{CE}=5.0\text{V}, I_C=1.0\text{mA}$	100	300	
h_{FE}	$V_{CE}=5.0\text{V}, I_C=10\text{mA}$	100		
h_{FE}	$V_{CE}=5.0\text{V}, I_C=100\text{mA}$	75		
f_T	$V_{CE}=5.0\text{V}, I_C=10\text{mA}, f=100\text{MHz}$	150		MHz
C_{ob}	$V_{CB}=10\text{V}, I_E=0, f=1.0\text{MHz}$		6.0	pF
C_{ib}	$V_{BE}=0.5\text{V}, I_C=0, f=1.0\text{MHz}$		25	pF

R5 (10-October 2012)

CTLT8099-M322S
SURFACE MOUNT
NPN SILICON TRANSISTOR



TLM322S CASE - MECHANICAL OUTLINE



DIMENSIONS				
SYMBOL	INCHES		MILLIMETERS	
	MIN	MAX	MIN	MAX
A	0.076	0.081	1.95	2.05
B	0.076	0.081	1.95	2.05
C	0.019	0.024	0.50	0.60
D	0.000	0.002	0.00	0.05
E	0.011	0.020	0.30	0.50
F	0.039		1.00	
G	0.007	0.012	0.18	0.30
H	0.017	0.028	0.45	0.70
J	0.008	0.017	0.22	0.43
K	0.024	0.033	0.62	0.83
L	0.043	0.054	1.10	1.35
M	0.030	0.041	0.77	1.03
TLM322S (REV:R2)				

LEAD CODE:

- 1) Base
- 2) Emitter
- 3) Collector

MARKING CODE: 89C

R5 (10-October 2012)