

# SCRs

(Continued)

$I_T$ (AMPS)	<b>0.8</b>				
@ $T_C$ (°C)	60				
$I_{TSM}$ (AMPS)	10				
<b>CASE</b>	 <p>TO-92 Pinout A G C</p>			 <p>TO-92 Pinout C G A</p>	
$V_{RRM}$ (VOLTS)					
30	<b>C103Y*</b>				
60	<b>C103YY*</b>				
100	<b>C103A*</b>				
200	<b>C103B*</b>	<b>CS55B*</b>	<b>CS55BZ*</b>	<b>CS92B</b>	<b>CS92BZ</b>
400		<b>CS55D*</b>	<b>CS55DZ*</b>	<b>CS92D</b>	<b>CS92DZ</b>
600				<b>CS92M</b>	<b>CS92MZ</b>
800				<b>CS92N</b>	<b>CS92NZ</b>
$I_{GT}$	200 $\mu$ A	200 $\mu$ A	20 $\mu$ A	200 $\mu$ A	20 $\mu$ A
$V_{GT}$	0.8V	0.8V	0.8V	0.8V	0.8V
$I_H$	5.0mA	5.0mA	5.0mA	5.0mA	5.0mA

\* TO-92-18R lead forming available. Please consult factory.